



# Dentalness

Your Partner in Modern Dentistry.

## PRODUCT CATALOGUE

[www.dentalness.in](http://www.dentalness.in)

# COMPANY INTRODUCTION

**www.dentalness.in** is an internet based e-commerce supply chain importing and direct selling portal licensed by or under brand name of DENTALNESS , It is hereby certified that **ARKADE DENTALNESS HEALTHCARE LLP** is incorporated pursuant to section 12(1) of the Limited Liability Partnership Act 2008 in india

**Arkade Dentalness Healthcare LLP** is located in Surat, Gujarat, INDIA. We have professional R & D, production and sales service teams, and are committed to providing doctors and patients with the best dental medical equipment and consumables. We invested a lot of resources, introduced advanced production equipment and inspection equipment, established a complete quality management system, and **obtained the MD42 License certificate by Govt. Of INDIA**. We ensure that each dental medical equipment and consumables delivered are in line with quality standards.

We will continue to adhere to the concept of "**innovation, quality, and service**", continuously promote the technological innovation and quality improvement of products, and contribute more to the development of the **INDIAN DENTAL MEDICAL FIELD**.



**Dentalness**



## • CHAKRA HANDPIECE SERIES

• CHAKRA 08 AIROTOR .....	06
• CHAKRA 18 AIROTOR .....	07
• CHAKRA 28 AIROTOR .....	08
• CHAKRA 38 AIROTOR .....	09
• CHAKRA 48 AIROTOR .....	10
• CHAKRA - I IMPLANT HANDPIECE .....	11

## • ENDODONTICS ROOT CANAL SERIES

A) BLACK PRISMA ROTARY FILES .....	13
B) ENDOMOTORS	
• DENTALNESS Y SMART APEX .....	16
• DENTALNESS Y SMART FIBER .....	17
• DENTALNESS MECCO ENDOSTAR S .....	18
• DENTALNESS MECCO ENDOSTAR E .....	20
C) OBTURATION SYSTEMS	
• DENTALNESS MECCO P&C.....	22
• DENTALNESS OBTURATION PEN .....	24
D) CURING LIGHTS	
• DENTALNESS MECCO Q6 .....	26
• DENTALNESS MECCO Q8 PRO .....	28

## D) ENDODONTIC MATERIALS

- GUTTA PERCHA POINTS .....30
- ABSORBENT PAPER POINTS .....30

## • PERIODONTOLOGY AND ORAL PROPHYLAXIS

- Desktop AIRPROPHY Mate .....32
- DP60 DENTAL POLISHER .....34

## • IMPLANTOLOGY INSTRUMENTS

- Dental Implant Manual  
Torque Wrench Universal Kit .....37
- ITW Implant Torque wrench Motor .....38

## • GENERAL DENTISTRY

- Easy drive Multifunctional  
Dental Equipment Trolley .....41

## • DIGITAL DENTISTRY

- INO200 BLZ INTRA ORAL  
SCANNER .....43



Dentalness



# Chakra

## Handpiece Series





# Dentalness

## CHAKRA-08

- **Clean head system**, stop blood and foreign matter from entering the head.
- This clean head design also allows for **easy maintenance** and **cleaning**, further enhancing the overall durability and hygiene of the handpiece.
- Torque head, more powerful with fast cutting, ensuring efficient and precise dental procedures.
- Stainless steel, higher hardness more durable, Anti-scratch.

### Specifications:

**Cartridge: Japanese Ceramic Bearing**

Head : Torque Head.

Rotation 320,000-350,000 RPM.

Chuck type: Push button.

**Water Spray: Single Spray.**

Body/Head/Back cap Materials: Stainless steel.





# Dentalness

## CHAKRA-18 LED

- White SMD LED with more than **1000 working life**.
- **Ceramic bearing** more stable and longer service life.
- The torque head has more strength and the grinding force is stronger clean head system
- The **noise is lower** than 65dB, quieter.
- Upgraded constant LED light, more durable.
- Patented push button, with the use of the handpiece, the bur is tighter, no flying bur.
- **Triple water spray**, Perfect atomization and efficient cooling.

### Specifications:

**Triple spray, Push button**

**Cartridge: Japanese Ceramic Bearing**

- Noise:  $\leq 65\text{dB}$ , ceramic bearing.
- Speed: 320,000-350,000RPM.
- Torque Head, stronger cutting force, clean head system.
- LED light, E-generator.
- Stainless steel materials, higher hardness more durable, anti-scratch.





# Dentalness

## CHAKRA-28 (3-HOLE)

- **Ceramic bearing** more stable and longer service life.
- **Three water spray** helps to cool down instantly.
- The **noise is lower** than 60dB, quieter.
- Elegant **Anti-slip pattern** makes easy holding for long time.

### Specifications:

**Cartridge:** German made.

Head : Torque Head.

Rotation 280,000-350,000RPM.

Chuck type: Push button.

**Water Spray: Three Spray.**

Body/Head/Back cap Materials: Stainless steel.





# Dentalness



## CHAKRA- 38 (4-HOLE, LED)

- Indestructible E-Generator high speed handpiece.
- 4 water spray cools down the burr and dental material effectively.
- LED bulb is protected by stainless steel and covered by high temperature resistant mirror glaze.

### Specifications:

Pressure: 0.30-0.35 Mpa

Head : Torque Head.

Rotation 300,000-450,000RPM.

Illumination:  $\geq 1500$  Lux

Chuck type: Push button.

### Water Spray: Four Spray.

Body/Head/Back cap Materials:

Stainless steel.





# Dentalness

## CHAKRA - 48 (MINI HEAD)

- Indestructible Mini Head high speed handpiece.
- Single water spray cools down the burr and dental material effectively.

### Specifications:

Pressure: 0.25-0.30 Mpa

Head : Mini Head.

Rotation 300,000-450,000RPM.

Chuck type: Push button.

### Water Spray: Single Spray.

Body/Head/Back cap Materials:

Stainless steel.

Excellent For  
Pediatric Patients



10 mm



9 mm





# Dentalness



## CHAKRA- I

- CHAKRA- I is Low Speed Implant Handpiece designed for Smoother Dental Implant surgical Interventions
- Scratch-proof body
- Easy to dismantle for cleaning and sanitation
- Autoclavable upto 135°C
- Push-button type chuck
- Ensures good grip, thereby reducing fatigue
- Efficient cooling system

## Specifications:

Max Speed: 2500r/min

Chuck type: Push button.

Bur Size:  $\Phi$ 2.345-2.355

Noise:  $\leq$ 60db


Gear Ratio: 20:1

Max. Torque:  $\geq$ 80N. cm


## Spray: External Irrigation System

Body/Head/Back cap Materials:

Stainless steel.




Simple to Split Easier to sanitize and Clean



**Dentalness**

# **Endodontic Root Canal Series**



# BLACKPRISMA



High Strength Ni-Ti alloy  
Hyperelastic

Easy to Shape  
Thermally Activated  
CM Ni-Ti Wire

- Safety
- Efficiency
- Durability



# Dentalness

## Features

ISO color coding

**Superior Strength  
Black Coloured**  
Short shaft 11mm

Silicon stopper in the ISO color  
of the specific Blackprisma  
instrument tip size

Working length  
21mm, 25mm

### **S-cross section**

Perfect cutting efficiency

### **Flat side design**

increase the efficiency of  
debris removal

Heat treated NiTi Material  
Unique heat treatment  
technology:  
increases flexibility




3-17mm single  
edge cutting



Non Cutting Tip  
no flat design,  
Tip 3 mm:  
0-3mm


**PRISMA Coloured**  
**DLC Coating Surface**





# Dentalness

## Usage Protocol



## 5 FILE PACKET ASSORTED BLISTER OR BOX



17.08% ORIFICE OPENER  
17.04% PATHFINDER  
20.04% SHAPER  
25.04% SHAPER AND FINISHER  
25.06% SHAPER AND FINISHER

## Available Sizes

Colour	Tips Size	Taper (%)		Length (mm)		Speed   Tourque	Pcs
○	17	4	-	21	25	Speed: 400 rpm  Tourque 2 Ncm	5 Pcs
●	20	4	6	21	25		
●	25	4	6	21	25		
●	30	4	6	21	25		
●	35	4	-	21	25		

Two Opposite Vented Endodontic Irrigation needles  
**Complimentary**  
in every Blister !





# Dentalness

- Individual root measure system: high precision measurement of root canal length by multi frequency technique.
- Measure and expand mode: Automatic start and stop, Automatic reverse and stop function.
- The endo motor and apex locator are combined into one, and reverse or stop automatically when meet root tip.
- 10 memory modes with adjustable speed, torque and angle.
- Built-in Apex Locator: Can be used as apex locator alone
- Wireless Controller, easy to operate
- Input voltage: ~AC100-240V 50Hz/60Hz 0.4A. Ma
- Output voltage: 0.4A max
- Output current: DC 50V/1A



Rotatable  
Conta Angle



6:1  
Mini Contra  
Angle



Can be  
Connected  
tp Apex Locator



Auto Apical  
1. Reverse/Stop  
2. Slow Down  
3. Auto Start/Stop

## Y SMART APEX MINI

Inbult Endomotor



Speed range:  
120rpm~1000rpm



6 Working Mode  
10 Memory Programme



File Breaking  
Preventing



0.5Ncm-4.0Ncm



Wireless



Lithium battery  
3.7V/1500mAh

1st Time in India

## Y SMART FIBER

Fibre optic LED Endomotor



Fibre Optic  
LED Contra angle  
Hand Piece



Speed range:  
120rpm~500rpm



0.6Ncm-4.0Ncm



Wireless



File Breaking  
Preventing



6 Working Mode  
10 Memory Programme



Lithium battery  
3.7V/800mAh



# Dentalness

- **High Standard:** Precision stainless steel ultra-quiet 16:1 contra-angle head.
- **Super Stable:** The original imported motor provides more stable performance.
- **Wireless design:** Break through the limitation of space and manacle, more flexible.
- **Ultra-quiet head:** The latest model of 16:1 mini speed reducer is made of high standard precision parts, which can solve the instability of clinical operation better.
- Inputting:100V-240V  
50Hz/60Hz 0.4A. Max
- Output: DC5V/1A





Dentalness

MECCO



# Endo Star S

Endo Motor



Stable output and long service life

Mini 6:1 contra angle

360° rotation




Integrated with apex locator

Apex locator mode or multi-function mode for option



TFT Screen

Screen can be rotated friendly to lefties




Adjustable reciprocating angle

Adjustment range of angle

30° - 370°

Interval angle

10°



4 working modes:




Forward

Reverse

Reciprocation

Adaptive Torque Control

ATC - Adaptive Torque Control Mode  
After reaching the preset torque, motor will reciprocate according to the preset angle



Technical parameters



Speed  
50-1500rpm



Torque  
0.5-5N · cm



Battery capacity  
1900mAh



Memory Programs  
M1-M10



# Endo Star E

Endo Motor

## Mini 6:1 contra angle


360° rotation

# 6:1



## Integrated with apex locator

Apex locator mode  
or multi-function mode for option



## TFT Screen

Screen can be rotated  
friendly to lefties



## Customizable Built-in Endo File System

Torque and speed will be recommended  
after selecting the files manufacturer

M1	
Protaper SX&S1	FWD
Protaper S2	
Protaper F1	250rpm
Protaper F2&F3	
FlexMaster	3.0N • cm

## 4 working modes:




Forward

Reverse

Reciprocation

Adaptive Torque Control

ATC -Adaptive Torque Control Mode  
After reaching the preset torque, motor will reciprocate  
according to the preset angle



## Technical parameters



Speed  
120-1000rpm



Torque  
0.5-4N • cm



Battery capacity  
1900mAh



Memory Programs  
M1-M10

MECCO



Dentalness



## P&C

Obturation System

**1st Time in INDIA  
with Ball type  
Obturation tips**






## Heating up fast

Heating up to 200°C in 3 seconds

200°C



## Upgrade ball heating needle

- Reach all parts of the oral mouth easily
- Easy cutting, all the gutta percha can be melted and stuck on the ball nose by one time
- Compact filling and sealing is possible
- The ball nose can melt the surface of the gutta percha, let it full all the inside and make the surface become flat



Cut off the redundant part of gutta-percha and take it out




Stop heating, keep pressing the gutta-percha in the root canal with tip for about 10s




Heat for 1s, and rapidly take out the tip

## Push&Cut 2 in 1

Combine traditional Heating Pen & Gutta-Percha Cutter into one, saving costs and improving work efficiency



The heating needle can be disinfected at high temperature and pressure, and can be compatible with mainstream models



# OBTURATION PEN



# OBTURATION PEN




- Obturation pen can be heated up to 230°C in 5S.
- Option temperature: 160-180-200-230°C.
- Large capacity battery, double battery charging and spare.
- Holding comfortable, easy to use.
- Wireless design, reduce wrist fatigue.
- Own heating protection function, the heating maximum time of heater is 10S, more efficient and secure.
- Heating key 360° stereo operation, accurate top control, 3D filling more thoroughly.



3 Obturation Tips

- **TECHNICAL PARAMETER:**

1. Li-ion chargeable Battery : 3.7V 2600mAh
2. Heating time : 5s
3. Working temperature : 160 °C, 180°C, 200 °C, 230 °C
4. Input voltage : 100V-240V AC
5. Output voltage : DC 5V, 2A
6. Heat plunger size : F、FM、M
7. Operating time : continuous use 1.5H



Removable Extra Battery

MECCO



Dentalness


# Q6

Curing light



## Five powerful curing modes


**Turbo:** 2700-3000mW/cm<sup>2</sup>  
much more powerful



**High:** 2300-2500mW/cm<sup>2</sup>  
for quick and deep light cure




**Normal:** 1000-1200mW/cm<sup>2</sup>  
for general application



**Ortho:** 2300-2500mW/cm<sup>2</sup>  
for orthodontic brackets  
veneer bonding




**Ramp:** 1000-1200mW/cm<sup>2</sup>  
first 5 seconds ramps up to  
general application




## Wide spectrum

The new generation multi-wavelength LED at 385nm~515nm for producing high-intensity light, which is capable of polymerizing all light-cured dental materials.



## Constant light intensity output

Maintain stable light intensity while power drops lower



360° Curing

Reach every angle

360°



## Specification

Power input	Power output	Light intensity	Battery
100-240V AC 50Hz/60Hz	DC 5V/1A	1000-3000mW/cm <sup>2</sup>	1900mAh
Input of Q6 corded: AC 24V 50Hz/60Hz			




**Dentalness**

# Q8 Pro

Curing light




## Caries detection function available




## Four different modes

Turbo, Normal, Ortho, Check



## Built-in light meter available in the charging base




## Automatic compensation circuit for constant power output



## Collimated light beams

With refined optics that create excellent collimation light across a 10 mm lens, the Q8 Pro curing light delivers collimated light beams optimally




## 8.5mm lower-profile head

Reaching patient's posterior molars easily and comfortably



The new generation multi-wavelength LED for producing high-intensity light at 385nm-515nm, which is capable of polymerizing all light-cured dental materials.




## Specification

Power input	Power output	Light intensity	Battery
100-240V AC 50Hz/60Hz	DC 5V/2A	1000-2500mW/cm <sup>2</sup>	1900mAh



# Dentalness



## GUTTA PERCHA POINTS

### Constant Taper GP

- ISO Specification
- Length marked
- Color Coded
- Hand Rolled
- Made of finest materials
- Excellent Radiopacity



### 60 POINTS

TAPER	SIZE
4,6	20
4,6	25
4,6	30
4,6	35

## ABSORBENT PAPER POINTS




### 120 POINTS

TAPER	SIZE
4,6	20
4,6	25
4,6	30
4,6	35




### Constant Taper GP

- Sterile
- Colour Coded
- Length Marked
- Consistency in Size & Shape
- Highly Absorbent
- Uniformly Rolled for Close Tolerance
- 5 Years Shelf Life



Dentalness


# **Periodontology & Oral Prophylaxis**



## AIR PROPHY MATE



Nozzle, O ring, Cover And Handle All Detachable



## AIR PROPHY

- **Check Valve Mechanism:** Sand powder anti-backflow device that prevents damage to dental chair water and steam pipelines caused by the backflow of sand powder.
- **Powder Filtration Function:** Filters sand powder before it reaches the air prophy handle, reducing the probability of blockage by over 90%.
- **Powder Drying Device:** Equipped with an air filtration system inside the air prophy machine, it filters out moisture and oil in the air from the dry air compressor, preventing sand powder clumping and blockages in the air prophy machine.
- **One-Click Cleaning Function:** Equipped with a one-click cleaning function, you can perform pipeline cleaning before and after use to prevent blockages during use.
- **One-Click Drainage and Venting Function:** Allows for instant drainage and venting, preventing sand powder blockages from occurring when the air prophy machine is not in use for a short period.
- **Detachable Handle Design:** The handle can be disassembled into three sections, allowing for quick cleaning before and after use. It can also be quickly cleared of blockages, saving cleaning time and improving work efficiency.
- **Rotatable Nozzle Design:** With a 360-degree flexible rotation, the nozzle can sandblast from multiple angles, making dental teeth cleaning more comfortable and efficient.

### SPECIFICATION:


Water pressure: 0.2-0.44 Mpa

Air pressure: 0.3-0.4 Mpa

Water spraying amount of working head: 30ml/min

Sand blasting amount of working head: 2.4g-3.4g/min

Sand particle size used 0.14-0.75 micron.



# DP 60



## Dentalness



External water supply connection  
to meet dentist's diverse clinical  
needs across various usage  
scenarios.



# Dentalness DP 60

## Overview

- Powerful performance, outstanding strength With technology and art. leading the new frontier of air polishing The operation panel adopts multi-touch mode. The power of periodontal treatment is controlled intelligently. The imported pressure regulating valve can accurately adjust the air pressure and make the air flow more stable.
- High speed. High efficiency. New optimized pipeline structure can reduce fluid loss due to pressure. make the device efficiently remove dental plaque. pigment. dental stains and so on.
- Function switch. automatic recognition.

## Technical specification

Input Voltage:	AC 110 V $\pm$ 11 V 60 Hz /AC 230 V $\pm$ 23 V 50 Hz
Input power:	35 VA
Batteries of wireless foot switch:	AA Batteries $\times$ 2
Receiving sensitivity:-	114 dB. receive frequency: 2.4 G-2.5 G
Half deflection force:	30kHz $\pm$ 5kHz
Flow rate of water:	0-120ml/minute
Air inlet pressure:	5bar $\sim$ 6bar (0.5MPa $\sim$ 0.6MPa)

**New Design  
All Clear  
Powder Tank**



**Supragingival  
Air-Polishing**

0.7mm aperture steel nozzle,  
makes air polishing more  
concentrated and comfortable

**High speed,  
High efficiency.**

New optimized pipeline structure can  
reduce fluid loss due to pressure, make  
the device efficiently remove dental plaque,  
pigment, dental stones and so on.



Apply a plaque indicator




After the air polishing



Before the treatment




After the treatment



Dentalness

# Implantology






# Dentalness

## DENTAL IMPLANT MANUAL TORQUE WRENCH UNIVERSAL KIT


DENTAL IMPLANT TORQUE WRENCH  
IMPLANT TOOL WITH 16 SCREW DRIVERS




### Multiple Implant Systems Supported



### Precisely & Safely Fixing the Abutments



### Structure Display for 4E's Restorative Torque (Beam Type)





**Dentalness**

# DENTAL IMPLANT TORQUE WRENCH

Strong compatibility

High torque

Precise control

From Orthodontic to Implant  
Prosthetic All by iTW

**iTW**

## Technical parameters

Torque range  
10-50N • cm

Speed range  
10-50rpm

Steering angle ratio  
20 : 1

Operation  
Forward(clockwise rotation)  
Reverse(counterclockwise rotation)



TFT Display



Safe and Intelligent



Fast treatment



Long-lasting use



High accuracy



Forward and  
reverse adjustment

## ► Installation and removal of orthodontic screw

- Torque of 15~35Ncm will be workable even for insertion and removal in hard bone
- Precise torque control ensure a stable operation, so the orthodontic screw is less likely to break or loose





## ► Prosthetic application

- Precise torque greatly reduces the chance of screw loosening
- Small and contra-angle design makes posterior access easier




## ► Suitable for all kinds of screws



## 16 screwdrivers to meet more needs

### Multiple drill bits to meet a variety of work needs



## Adjustable forward and reverse, intelligent operation

Forwards for implanting implants, reverses for removing cover screws and healing abutments

Compact and lightweight, single-handed operation



## 360° rotating head for enhanced flexibility

Rotating head meets various angle requirements in practical operations

Small head design





# **General Dentistry**



# Dentalness

## Features

- Durable aluminum alloy body with anti-static and anti-vibration properties
- Adjustable monitor stand with 90° rotation for optimal viewing
- Compatible oral scanner holder for 3Shape, iTero, Sirona, and Planmeca
- Built-in power outlet for convenient device connectivity
- Spacious tabletop and tray for storing laptop, phone, and tools
- Four 360° swivel caster wheels with foot brakes for mobility and stability
- Easy-to-assemble design with pre-installed components and clear instructions



# Easy drive Multifunctional Dental Equipment Trolley



## Key Specifications

Material: Aluminum Alloy + ABS

Color: White

Mobility: 4 caster wheels with 2 lockable brakes

Power Sockets: 2 integrated electrical sockets

Weight Limit: 20kg



# **Digital Dentistry**

**Doctor's effective diagnosis  
and treatment assistant**



**Dentalness**

**B.I.Z Dental**

**INO200**



**Fast Scanning Speed** 30 secs for full arch scan.



**Higher Accuracy** Optimized algorithms for higher accuracy and precision.



**Instant Heating** Power on and scan right away.



**True Color Rendered 3D Model** Display with real color and texture.

### Real Scanning Cases

**Crown Restoration**



**Implant Scanbody**



**Metal Scan**



## Cloud Platform




## A.I. Examination Report

Dentists' smart assistant, realizing better communication with patients.

Share with the patient




### Splint Design




### Shades Measurement



### Measuring Tool




### Scanbody Library



### Orthodontic Simulation



### Occlusion Detect



## • New Scanning Tips



90° scanning tips, more scanning angles.

## • Remote Control

Control the software remotely, achieving more hygienic and efficient scan.

## • Easy to maintain

Detachable power cables,  
One cable connect scanner&computer



# INO200

## Specification

<b>Scan Depth</b>	23mm
<b>Weight</b>	270g
<b>Size</b>	264mm*37mm*46mm
<b>Standard Tip</b>	19.5*17.5 mm (±1mm)
<b>90°Tip</b>	19*19 mm (±1mm)
<b>Mini Tip</b>	16.5*16.5 mm (±1mm)
<b>Motion Control</b>	YES
<b>A.I. Tech</b>	YES
<b>Output Format</b>	STL, PLY, OBJ
<b>Power Supply</b>	DC12V 2A
<b>Light Source</b>	LED
<b>Interface</b>	USB 3.0
<b>A.I. Examination Report</b>	YES
<b>Occlusion Detect</b>	YES
<b>Undercut Detect</b>	YES
<b>Orthodontic Simulation</b>	YES
<b>Splint Design</b>	YES
<b>3D Model builder</b>	YES
<b>Cloud Platform</b>	YES
<b>Metal Scan</b>	YES
<b>Scanbody Library</b>	YES
<b>Shades Measurement</b>	YES

# Minimum

## Computer Configuration

<b>Operating System</b>	Windows 10 (64-bit)
<b>CPU</b>	Intel Core i5 11 Gen or above
<b>Memory</b>	16GB
<b>Hard Disc</b>	512G
<b>GPU</b>	NVIDIA RTX 3060 6GB or above
<b>Resolution</b>	1920X1080 60Hz
<b>USB Port</b>	At least 2 USB 3.0 ports or 1 Type-C port



# Dentalness

**ARKADE DENTALNESS HEALTHCARE LLP**

159 / 160, Shivshakti Society, Kargil Chowk,  
Opp. Sadhna Niketan School, Punagam, Varachha, Surat, Gujarat - 395010  
E-mail: [info@dentalness.in](mailto:info@dentalness.in)



+91 91064 56787



@dentalness



@dentalness



@dentalness







**Dentalness**

**ARKADE DENTALNESS HEALTHCARE LLP**

**159 / 160, Shivshakti Society, Kargil Chowk,**

**Opp. Sadhna Niketan School, Punagam, Varachha, Surat, Gujarat - 395010**

**E-mail: [info@dentalness.in](mailto:info@dentalness.in)**



**+91 91064 56787**



**@dentalness**



**@dentalness**



**@dentalness**

[www.dentalness.in](http://www.dentalness.in)